



1-800-817-7697 310-WELD (9353) (ON, AB, SK) AIRLIQUIDE.CA find us @ m.airliquide.ca

Prices in effect from April 1st to May 31th, 2019

Air Liquide will match advertised prices from the competition for all items identical to those featured in this flyer. Some products in this flyer might not be available at all locations. Please contact us for details.

ABRASIVES

COMPLETE LINE OF

HIGH-PERFORMANCE

ABRASIVES

RECEIVE A FREE WALTER IRONMAN GRINDER* FOR EVERY PURCHASE OF MORE THAN \$1,190 (Value of \$600) A1182216 Available until May 31, 2019 while supplies last.



MADE TO WITHSTAND THE TOUGHEST JOBS, **BLUESHIELD™ DELIVERS:**

- · Best-in-class material removal rate
- Long wheel life
- Superior performance
- Improved safety
- Lower costs for bottom-line savings
- Better user experience



A NUMBER	DIAM.	THICKNESS	ARBOR	GRADE	MAX RPM	STD PACK.	PRICE
A1066624	4-1/2" (115 mm)	3/64" (1.2 mm)	7/8" (22.23 mm)	A-60 SBF	13,300	25	\$3.00
A1066625	5" (125 mm)	3/64" (1.2 mm)	7/8" (22.23 mm)	A-60 SBF	12,200	25	\$3.25
A1066626	6" (150 mm)	3/64" (1.2 mm)	7/8" (22.23 mm)	A-60 SBF	10,200	25	\$4.00
TYPE 27*							
A1066627	4-1/2" (115 mm)	3/64" (1.2 mm)	7/8" (22.23 mm)	A-60 SBF	13,300	25	\$3.20
A1066628	5" (125 mm)	3/64" (1.2 mm)	7/8" (22.23 mm)	A-60 SBF	12,200	25	\$3.45
A1066629	6" (150 mm)	3/64" (1.2 mm)	7/8" (22.23 mm)	A-60 SBF	10,200	25	\$4.25



GRADE MAX RPM STD PACE A NUMBER A1066644 4-1/2" (115 mm) 1/4" (7 mm) 7/8" (22.23 mm) A-24 SBF 13,300 25 \$3.65 A1066621 5" (125 mm) 1/4" (7 mm) 7/8" (22.23 mm) A-24 SBF 12.200 25 6" (150 mm) A1066622 1/4" (7 mm) 7/8" (22.23 mm) A-24 SBF 10.200 25 \$4.75 A1066623 7" (180 mm) 1/4" (7 mm) 7/8" (22.23 mm) A-24 SBF 8.600 25 \$5.25 A1066630 4-1/2" (115 mm) 1/8" (3.5 mm) 7/8" (22.23 mm) A-30 SBF 13,300 \$3.20 A1066631 5" (125 mm) 1/8" (3.5 mm) 7/8" (22.23 mm) A-30 SBF 12,200 \$3.45 6" (150 mm) 1/8" (3.5 mm) 7/8" (22.23 mm) A-30 SBF 10,200 \$4.25 7" (180 mm) 1/8" (3.5 mm) 7/8" (22.23 mm) A-30 SBF 8,600 \$4.75



A NUMBER	DIAM.	THICKNESS	ARBOR	GRADE	MAX RPM	STD PACK.	PRICE
A1066642	12" (305 mm)	3/32" (2.5 mm)	1" (25.4 mm)	A-30 RBF	5,100	10	\$7.00
A1066643	14" (355 mm)	3/32" (2.5 mm)	1" (25.4 mm)	A-30 RBF	4,400	10	\$8.00

* DEPRESSED CENTER



TY	PE	27*
Α	NUI	MBEF

A NUMBER	DIAM.	THICKNESS	ARBOR	GRADE	MAX RPM	STD PACK.	PRICE
A1066634	4-1/2" (115 mm)	-	7/8" (22.23 mm)	40	13,300	10	\$5.00
A1066635	4-1/2" (115 mm)	-	7/8" (22.23 mm)	60	13,300	10	\$5.00
A1066636	4-1/2" (115 mm)	-	7/8" (22.23 mm)	80	13,300	10	\$5.00
A1066637	4-1/2" (115 mm)	-	7/8" (22.23 mm)	120	13,300	10	\$5.00
A1066638	5" (125 mm)	-	7/8" (22.23 mm)	40	12,200	10	\$5.50
A1066639	5" (125 mm)	-	7/8" (22.23 mm)	60	12,200	10	\$5.50
A1066640	5" (125 mm)	-	7/8" (22.23 mm)	80	12,200	10	\$5.50
A1066641	5" (125 mm)	-	7/8" (22.23 mm)	120	12,200	10	\$5.50



WELDING GAS EQUIPMENT



Universal fuel gas compatibility - just install the appropriate tip.

DRAGONFIRE™ TORCH HANDLE

A0291692 **\$220**

All-silver-brazed construction for strength, rigidity, and safety. CGA hose connections: 'B' - Size (9/16" - 18 RH/LH)







FIRESTORM™ CUTTING ATTACHMENT

A0229404 \$120

- · Brass torch head
- Three in-line tube configuration
- Silver-brazed tube joints for leak integrity
- Three-seat, tip-mix design for safety and multi-gas compatibility



FIRESTORM™ TORCH HANDLE

A0291693 **\$99**

- Tube-within-a-tube handle design with four O-ring seals for safety and easy maintenance
- Forged brass rear body
- · Large, ribbed control valves, for ease of adjustment
- Teflon valve packing provides long service life
- · Stainless steel ball-tip valves seal tightly



BLUESHIELD™ SINGLE STAGE REGULATORS

PRODUCT NUMBER	GAS	CGA CONNECTION	PRICE
A0358968	Argon, helium & nitrogen	580	\$220
A0359106	Inert Gas / 300 psi delivery	680	\$210
A0359030	Inert Gas	680	\$250







NEW



A1165431 \$295



LONG LASTING PROTECTION FOR LASER

AND PLASMA CUTTING TABLES

- Ceramic formula provides long lasting protection, even in the presence of extreme heat.
- Each 10 kg container provides enough anti-spatter to cover 50-100 sq.m.
- E-Weld Plasma can be painted on manually or sprayed on with the applicator.

WELDING GAS EQUIPMENT



UNIVERSAL™ **OUTFIT**

A0335395 \$310

For medium duty applications.

FEATURES

- Booted gauges
- In-line configuration of the cutting attachment tubes
- · Tip mixing of gases
- Brass head
- Tube-within-a-tube construction of the torch handle

DUO MINIT

A0335393 **\$570**

The ideal choice when portability and convenience are important!

- Lightweight less than 15 kg (32 lb)
- Cuts up to 127 mm (5") thick and welds up to 12.7 mm (1/2")
- Ideal for maintenance. general repair or any application where portability is key. Gas not included.





ACETYLENE, BLUESHIELD STYLE 802

PRODUCT NUMBER	SIZE	PRICE
A0398628	0	\$17
A0398630	1	\$17
A0398631	2	\$17

ACETYLENE, BLUESHIELD STYLE 803

PRODUCT NUMBER	SIZE	PRICE
A0398636	0	\$17
A0398638	1	\$17
A0398639	2	\$17

PROPANE/NATURAL GAS. **BLUESHIELD STYLE 826**

PRODUCT NUMBER	SIZE	PRICE
A0399164	0	\$17
A0399165	1	\$17
A0399166	2	\$17

PROPANE/NATURAL GAS, **BLUESHIELD STYLE 829**

PRODUCT NUMBER	SIZE	PRICE
A0399171	1	\$17
A0399173	2	\$17

A0398674

CETYLENE, VICTOR STYLE 1-101						
PRODUCT NUMBER	SIZE	PRICE				
A0398668	0	\$13				
A0398671	1	\$13				
A0200C70	0	612				

Our experts suggest that you use our ALbee™ range of cylinder gases with ALbeeKit for better results.

ALBEEKIT

A1077661 \$195

CUTTING, WELDING AND BRAZING

Medium-Duty applications

- + Cut up to 150 mm (6")
- + Weld up to 19 mm (3/4")



BENEFITS

cutting

· Increased gauge life · Excellent visibility for precision

Reliable tip seating

· Heavy outer tube for

strength and rigidity

· Safer, less risk of flashback

Includes

- + BLU-FIR312: Torch handle
- + BLU-FIR512B: Cutting Attachment
- + BLU-7122: Single-flame brazing/welding tip, Size: 2
- + BLU-8020: Cutting Tip, Acetylene, Size: 0
- + Grade "T" welding twin-hose, 1/4", 20 ft
- + Flint lighter, welding goggles

FEATURES

- In-line configuration of the cutting attachment tubes
- . Tip mixing of gases
- Brass head
- Tube-within-a-tube construction of the torch handle

BENEFITS

- · Increased tip life
- · Excellent visibility for precision cutting
- Safer
- · Reliable tip seating

MAKE YOUR LIFE EASY WITH







Acetylene





PROFESSIONAL



Fully protected valve and regulator.



EASY TO BUY

Pay and pick-up your cylinder through a network of resellers.



EASY TO USE

Easy set-up with the graduated handwheel.



EASY TO EXCHANGE

Just exchange it and only pay for the gas consumed.

ALbee™ FLAME

Oxygen Brazing

- Heating
- Welding
- Arts and Craft
- · Ornamental work

ALbee™ WELD

Argon Argon Mix TIG/MIG

- Construction industry
 - Auto repairs Mechanics

Nitrogen

- HVAC Equipment maintenance
- · Leak tests
- · Yearly checks



WELDING GAS EQUIPMENT



DELUXE PORTABLE TORCH KIT

A0335363 \$327

Deluxe Portable Torch Kit, PL-DLXPT Torch Kit Swirl, MAP-Pro/LP Gas, DOT, TC Certified.

Kit includes:

- · Durable Tool Bag
- 12 ft. of Hose and hose clamp
- Self-lighting PL-3T tip
- STK-R Regulator CGA-600
- Ergonomically designed handle

Bonus items: PL-4T tip and PL-812 heat shield.



CARRIER KIT OUTFITS -AIR FUEL - ACETYLENE

A0335390 \$342

Give your back a break - there's no need to lift a heavy acetylene cylinder any longer. The telescoping pull handle allows you to pull the rolling tote to the work area.

The TDLX2010B kit includes:

- Durable Tote Case
 PL 8A and A 3 Tips
- G4 Torch Handle
- AR B Regulator
- Grade AH hose 12' (144 mm)



VICTOR MEDALIST® 250 CUTTING SYSTEM

A0335398 **\$390**

- · Medium duty construction
- G250 series regulators
- WH411C torch handle with built-in check valves
- CA411-3 cutting attachment
- Welding nozzle
 Cutting tip
 RM-grade hose 20' x 3/16"
- (6.1 m x 4.8 mm)
- Striker and soft-sided goggles
- 5 year warranty

Acetylene 4250-150/510



VICTOR MEDALIST® 350 **CUTTING SYSTEM**

A0335399 **\$431**

- · Heavy duty construction
- Built-in check valves
- . One cutting attachment for all fuel gases (with proper tip)
- G350 series regulators
- 5 year warranty.

Acetylene G350-540/510



EXTREME™ X-3B

A0403456 \$365

Air acetylene torch kit. Extreme™ Standard Torch Kit: Reliable and well engineered, the standard line of kits combines the Extreme Swirl Technology with a tradional manual lighting torch.



TURBOTORCH LP-2 TORCH KIT W/ADJUSTABLE REGULATOR

A0335384 \$353

Outfit, propane/Flamal. CGA 510.



TURBOTORCH-PURGE KIT

A0351976 \$320

Includes regulators and accessories.



CYLINDER GAS

A0891247 Propane

\$12

A0394319 MAP-PRO

14.1 oz.





SUPERFLASH/IBEDA FLASHBACK **ARRESTORS**

A0281636 GG, Torch, Twin pack.

A0281623 DGN, Regulator, Twin pack.

A0281634 GG, Torch, Oxygen. A0281632 GG, Torch, Fuel Gas.

\$99.99 \$110.00 \$51.00

\$51.00



PURGE NITROGEN REGULATOR

A0359166 \$151

Delivery range 0-500 psig. TC Certified. For HVAC high capacity applications.



PURGE NITROGEN REGULATOR

A0359167 \$152

Delivery range 0-800 psig. TC Certified. For high pressure HVAC applications.



TURBOTORCH EXTREME™ TX 503

A0401049 \$112

Featuring extreme swirl technology! For higher heat levels, in a short amount of time, enables the pros to quickly complete the job. Self lighting torch for use with propane/propylene.

LOW **MANGANESE** LOW FUME

TAKE THE BLUESHIELD™ ADVANTAGE

Engineered solutions

MCAW

METAL-CORED WIRE LA C-6 LMN + ARCAL™ M14

- Up to 77% lower manganese in weld fumes
- Up to 88% fume reduction

Typical Applications

- Thin-walled tanks
- · Structural steel fabrication and earthmoving equipment
- Lower Fume and Manganese emissions as compared to E70C-6M with 75-80 Ar/Balance CO2 shielding gas
- · Reduced silicate islands and spatter for easy post weld cleanup and painting

FLUX-CORED WIRE LA T-91 LMN + ARCAL™ 211

New

FCAW

- Up to 88% lower manganese in weld fumes
- Up to 80% fume reduction

Typical Applications

- · Structural steel fabrication
- · Agricultural implement manufacturing and general welding applications
- · Lower Fume and Manganese emissions as compared to conventional E71T-1M/E71T-9M wires
- · Negligible spatter and easy slag release



Ensure superior results with our ARCAL™ cylinders equipped with EXELTOP™ for a greater:

Safety | Savings | Performance

With EXELTOP™ focus on your own performance thanks to the Advanced two-stage built-in regulator, Quick connect system, Ergonomic and shock-absorbing cap, Innovative on/off lever and Permanent content gauge.









AIR LIQUIDE **GIFT WITH POWERMAX® PURCHASE**

PURCHASERS of Powermax65, Powermax85 and Powermax105 WILL RECEIVE one Bose Soundlink around-ear wireless headphones valued at \$315.

VISIT AIRLIQUIDEPOWERMAXPROMO.COM FOR MORE DETAILS.



PURCHASERS of Powermax30 XP and Powermax45 XP **WILL RECEIVE** one YETI 30 oz tumbler engraved with Air Liquide and Hypertherm logos valued at \$62.

\$2,479





Powermax30° XP

A0345315

+ Input











- + Recommended 10 mm (3/8")
- + Severance 16 mm (5/8")

Input Current @ 3.8 kW 120-240 V, 1-PH, 25-18.8 A

Output Current Rated output volltage

15-30 A

125 VDC

Duty cycle @ 40°C 35%, 240 V / 20%, 120 V Open circuit voltage (OCV) 256 VDC



A0941642

+ Input











+ Recommended 16 mm (5/8") + Severance 29 mm (1-1/8")

Input Current @ 6.5 kW 200-240 V, 1-PH, 39/32 A OR 480 V, 3-PH, 9.4 A

Output Current 10-45 A Rated output volltage 145 DVC

Duty cycle @ 40°C

50% @ 45 A, 200 - 240 V, 1-PH 50% @ 45 A, 480 V, 3-PH 60% @ 41 A, 200 - 240 V, 1-PH 60% @ 41 A, 480 V, 3-PH 100% @ 32 A, 200 - 240 V, 1-PH 100% @ 32 A, 480 V, 3-PH

Open circuit voltage (OCV) 275 VDC (200 - 240 V, CSA/CE/CCC and 480 V, CSA)



Powermax65®

A0316946
















Use F5 to Cut Stainless Steel 1/4" and above

Input Current @ 9 kW 200/208/240/480 V, 1-PH, 52/50/44/22 A

200/208/240/480/600 V, 3-PH,

32/31/27/13/13 A

Output Current 20-65 A Rated output volltage

Duty cycle @ 40°C

50% @ 65 A, 230 - 600 V, 1/3-PH 40% @ 65 A, 200 - 208 V, 1/3-PH 100% @ 46 A, 230 - 600 V, 1/3-PH

Open circuit voltage (OCV) 295 VDC



Powermax85®

A0316949













+ Recommended 25 mm (1") + Severance 38 mm (1-1/2")

Use F5 to Cut Stainless Steel 1/4" and above

Input Current @ 12.2 kW 200/208/240/480 V, 1-PH, 70/68/58/29 A

200/208/240/480/600 V, 3-PH, 42/40/35/18/17 A

Output Current 25-85 A 143 VDC

Rated output volltage Duty cycle @ 40°C 60% @ 85 A, 230 - 600 V, 3-PH

60% @ 85 A, 480 V, 1-PH 50% @ 85 A, 240 V, 1-PH 50% @ 85 A, 200 - 208 V, 3-PH 40% @ 85 A, 200 - 208 V, 1-PH

100% @ 66 A, 230 - 600 V, 1/3-PH

Open circuit voltage (OCV) 305 VDC



Powermax105®

A0342876











+ Recommended 32 mm (1-1/4")

+ Severance 50 mm (2")

Input Current @ 21.9 kW 200/208/240/380/400/480/600 V,

58/56/49/28/25/22 A

30-105 A **Output Current** Rated output volltage 160 VDC

Duty cycle @ 40°C 50% @ 105 A, 200 V, 3-PH

80% @ 105 A, 480 - 600 V, 3-PH 100% @ 94 A, 480 - 600 V, 3-PH 100% @ 88 A, 240 V, 3-PH 100% @ 74 A, 200 V, 3-PH

Open circuit voltage (OCV) 300 VDC



ASK FOR YOUR **GIVEAWAYS!**

Go online: airliquide.ca/ esabcutmaster



AN EXCLUSIVE OFFER TO AIR LIQUIDE

Purchase a Cutmaster 42 and **ECEIVE A FREE** Single Stage Air Filter Kit (7-7507).



Purchase a Cutmaster 82, 102 or 152 and RECEIVE A FREE Circle Guide Cutting Kit (7-8910).







A0316942 SL40 Torch Lead 4.5 m (15')

\$1,500 A0974327 SL60 Torch Lead 6 m (20') \$1.624

Maximum Output: 40A Kilowatt Output: 3.8 kW

Maximum Cut: 7/8" (22.2 mm) @ 230V / 5/8" (15 mm) @ 120V

Duty Cycle (@40°C): 40% @ 40A

Torch Configuration: SL40 w/ATC, 75° hand torch or

SL60 w/ATC 75° hand torch

FOR ADDITIONAL REBATE, GO ONLINE: esab.com/rebate





A1166664 208-230VAC

\$2,000 A1182093 600VAC \$2,000

Maximum Output: 60A / Kilowatt Output: 6.2 kW Maximum Cut: 1" (25 mm)

Duty Cycle (@40°C): 40% @ 60A, 60% @ 50A,

100% @30A

Torch Configuration: SL60QD w/ATC



A0961655 208-480V 1Ph, 20 ft

A0974328 208-480V 3Ph, 20 ft \$2,400

Maximum Output: 60A / Kilowatt Output: 7.6 kW Maximum Cut: 1 1/2" (38 mm)

Duty Cycle (@40°C): 50% @ 60A, 60% @ 50A,

100% @ 40A

Torch Configuration: SL60QD w/ATC, 75° hand torch



A0342914 208-230 V, 1Ph, 50/60 Hz

\$3,500 3.500

Maximum Output: 80A Kilowatt Output: 9 kW **Maximum Cut:** 1 1/2" (40 mm)

A0342916 600 V, 3Ph, 50/60 Hz

Duty Cycle (@40°C): 40% @ 80A, 60% @ 65A, 100% @ 55A

Torch Configuration: SL60 w/ATC, 75° hand torch



CUTMASTER 102

A0342905 208-230V

A0342907 600V

\$4,100 \$4.100

Maximum Output: 100A Kilowatt Output: 12 kW Maximum Cut: 1 3/4" (45 mm)

Duty Cycle (@40°C): 60% @ 100A, 80% @ 80A,

Torch Configuration: SL100 w/ATC, 75° hand torch



CUTMASTER 152

A0342908 208-230 V, 1Ph, 50/60 Hz

A0342910 600 V, 3Ph, 50/60 Hz

\$5,800 \$5.800

Maximum Output: 120A / Kilowatt Output: 15.4 kW

Maximum Cut: 2" (50 mm)

Duty Cycle (@40°C): 80% @ 120A. 100% @ 100A Torch Configuration: SL100 w/ATC, 75° hand torch

186 AC/DC TIG SYSTEM

A0278034 Regular package

A0396648 Package comes with foot control.

A0396649 Package comes with foot control and utility cart.

Applications include: • Aluminum Fabricators

- Training Institutions Maintenance & Repair On-Site & Portable Welding Applications
- Automotive, Boats & Trailers.

Rated Output: 200A / 18V @ 20% Duty Cycle, 180A / 17.2V @ 25% Duty Cycle, 150A / 16V @ 35% Duty cycle.

\$2,300 \$2,557 \$2,763



A0317210 \$775

The welder's choice for a STICK/TIG package, this lightweight welding machine is packed full of features giving you the ability to tackle any iob with ease.

System comes fully assembled, ready to weld.

*Automatic Primary Select operates on either 115V or 230V and automatically configures to the primary input supplied.


Warranty Period 3 Years



Purchase a Rebel 215, 235 or 285 and RECEIVE A FREE Warriortech Helmet



Purchase an Airpro X4000 and EIVE A FREE box of 1/4" BLUESHIELD™ Gouging Carbons







REBEL EMP 215ic MIG/TIG/STICK PKG

A0919953 \$2,124

Esab, Machine, Welding, Multi-Process, Rebel EMP 215ic, MIG/TIG/Stick PKG, 115-230V/1PH

REBEL EM 215ic MIG PKG

\$1.600 A0946797

Esab, Machine, Welding, Multi-Process, Rebel EM 215ic, MIG PKG, 115-230V/1PH



REBEL EMP 285ic SYSTEM

A1126311 \$3,624

Esab, Machine, Welding, Multi-Process, Rebel EMP 285ic, MIG/TIG/Stick, 120-230V/1PH

REBEL EMP 285ic **SYSTEM WITH CART** A1096318 **\$3,770**

Esab, Machine, Welding, Multi-Process, Rebel EMP 285ic, MIG/TIG/Stick, 120-230V/1PH with Cart

REBEL EMP 285ic SYSTEM

A1182091 \$3,924

Esab, Machine, Welding, Multi-Process, Rebel EMP 285ic, MIG/TIG/Stick, 460-575V/3PH

REBEL EMP 285ic SYSTEM WITH CART A1182092 **\$3,999**

Esab, Machine, Welding, Multi-Process, Rebel EMP 285ic, MIG/TIG/Stick, 460-575V/3PH with Cart

FOR AN ADDITIONAL REBATE FOR OUR REBEL MACHINES, GO ONLINE NOW: ESAB.COM/REBATE



REBEL EM 235ic SYSTEM

A0961660 \$2,750 Esab, Machine, Welding, Rebel EM 235ic, MIG, 120-230V/1PH

REBEL EM 235ic **SYSTEM WITH CART** A0961659 **\$3,120**

Esab, Machine, Welding, Rebel EM 235ic, MIG, 120-230V/1PH with Cart

REBEL EMP 235ic

SYSTEM A0961657 \$3,154

Esab, Machine, Welding, Multi-Process, Rebel EMP 235ic, MIG/TIG/Stick, 120-230V, 1PH

REBEL EMP 235ic SYSTEM WITH CART A0961658

\$3.272

Esab, Machine, Welding, Multi-Process, Rebel EMP 235ic, MIG/TIG/Stick, 120-230V/1PH with Cart



7' AIRPRO X4000 **TORCH & CABLE**

NEW

\$678 A1182094

First innovation in Arc Gouging torch technology in over 30 years! Improved ergonomics and ZERO air leaks.



A0961663 \$509



\$549

\$501

S900

BASIC UTILITY **CART**



FOOT CONTROL

A0922345 \$300

15 ft (4.6 m) cable with 8-pin male plug.



TWECO SPOOLS GUN

A0922675 160A, 12 ft (3.6 m)

A0961662 200A, 12 ft (3.6 m)

For Rebel Series Machine (Required for Mig Welding).

A0967673 200A, 25 ft (7.6 m)

ACCESSORIES A0400811 17V

A0400812 26V

\$280

13 ft (4 m), 25/50 mm Dinse.


TIG TORCHES &



A0961661 **\$231**

5/8 NPT, 12.5 ft (3.5 m), for Rebel 235.





TST 2200 MULTI PROCESS - MIG / TIG / STICK FRONIUS PERFORMANCE FOR YOUR LIGHT INDUSTRIAL NEEDS!

SET YOUR BASE MATERIAL, WIRE DIAMETER & GAS: THE TST 2200 DOES THE REST!



Delivered with MIG torch, TIG torch & Electrode holder (Foot pedal, cart, case & shoulder strap available)

/ MULTI PROCESS. One system for MIG / TIG / STICK

/ LIGHT. Only 15 kg (33.1 lb)

/ SMART. Preset welding programs

/ HIGH DUTY CYCLE. Up to 220 A

/ VERSATILE.

- Multivoltage 120 230 V
- Steel, Stainless Steel, CuSi, Aluminum & Cored Wires

/ USER FRIENDLY.

- NO SPOOL GUN required for Aluminum
- Very stable Arc (Automatic Arc Length Control)

MIG	TIG	STICK
10 - 220 A	10 - 230 A	Up to 180 A
Ø 0.030" - 0.045" (0.8 – 1.2 mm)	Torch Trigger Control	Up to Ø 5/32 (4 mm)
Steel, Stainless Steel, Aluminum programs	TIG Pulse welding	Perfect ignition without sticking
Timed Spot & Stitch Welding	Quick TAC function	Basic, Rutile, & Cellulose Electrode

EXCLUSIVE AIR LIQUIDE OFFER: MULTI PROCESS UPGRADE INCLUDED! (\$330 VALUE)







TST 2200 MULTI PROCESS MIG / TIG / STICK: \$2,947 ORDER THE FOLLOWING 3 ITEMS: (A1182254) + (A1182255) + (A1072182)





ENTER A NEW DIMENSION...

WELD WITH THE ACCUPOCKET BATTERY POWERED WELDER!

THREE DIFFERENT USAGE MODES






Up to 22 electrodes or 124 inches TIG on a single charge

HYBRID MODE



120 V mains gives you the full 150 A output power

GENERATOR MODE



Generator friendly from 2 kVA

CHARGER



LITHIUM-ION

ACCUPOCKET 150 STICK: \$3,950.03 (A1072179) ACCUPOCKET 150 STICK + TIG: \$4,907.79 (A0962176), (A1072181) & (A1072182)

/ Extremely portable; <25lbs (11 kg) / Very durable; designed for extreme conditions (IP 23)

STICK: Hot Start / Soft Start / Arc Force **TIG:** Lift Arc / TAC / Pulse / Comfort Stop

EXCLUSIVE OFFER FROM AIR LIQUIDE: RECEIVE A FREE TOOL CASE WITH YOUR ACCUPOCKET ORDER (VALUE \$290)



AccuPocket Warranty: 3 yrs. standard, optional 5 yrs.







MULTIMATIC® 215 MULTIPROCESS WELDER

A0931173 **\$2,095**

120/240 V, 50/60 Hz.

Easy-to-use and versatile MIG and Stick welder that helps build skills. Color screen featuring Auto-Set™ Elite.

This all-in-one welder connects to 120 or 240 volt input power. Welds up to 9.5 mm (3/8") mild steel.



MULTIMATIC® 220 AC/DC

A1139065 \$3,889

Gives you the freedom to weld any process including AC/DC TIG, MIG, flux-cored, and stick with one portable, powerful, easy to use machine. Setup and switching processes are fast and easy, all while ensuring excellent arc quality using either 120 or 240 volt power.



MULTIMATIC® 255 MULTIPROCESS WELDER

A1166110 208-575V

A1172978

\$4,029

A1182095 With Dual Cylinder Running Gear & TIG Kit - 208-575V

\$4,475

Built for professionals in the MRO and light manufacturing/ fabrication segments who want a smaller, versatile multiprocess welder with intuitive setup to increase efficiencies and productivity.

With Running Gear Pkg



FUSION 160 ELECTRIC START

A1034453 **\$4,539**

The Fusion 160 delivers a smooth, stable arc from either engine power or 120/240-volt utility power, providing a unique combination of versatility and productivity in a lightweight package.



DYNASTY® 280 DX

A1136308 Dynasty 280 DX Multiprocess (with CPS)

A1182096 Dynasty 280 DX Vs Finger Contractor Package, AR8

A1182097 Dynasty 280 DX Vs Foot Contractor Package AR8

Dynasty 280 DX Vs Finger A1182098 Contractor Package AR12

Dynasty 280 DX Vs Foot Contractor Package AR12

A1182100 Dynasty 280 DX CV Wireless Foot Complete

Multiprocess performance in a portable package. Designed for industrial applications that require a versatile solution with superior arc performance.



\$7,971

\$12,400

\$12,500

\$12,150

\$12,800

\$15,100

BOBCAT™ 200 AIR PAK™

A0973729 \$11,110

The Bobcat 200 Air Pak is the industry-leading power solution for increasing your capabilities, reducing your expenses, and boosting profitability and efficiency.

MILLERMATIC® 141

A0317173 120V 60HZ 1PH

\$1,145 \$1,395 A0342732 With Running Gear / Cylinder Rack

A0317174 120V 60HZ 1PH

Labeled for French and English

\$1,140

All-in-one wire welder that welds 0.8-4.8 mm

(24 gauge - 3/16") mild steel.

Input Power: 120 V, 20 A

Rated Output: 90 A at 18.5 VDC, 20% duty cycle

40 A at 16 VDC, 100% duty cycle



MILLERMATIC® 252

A0317093 200(208)/230V, 60HZ, 1PH

\$3,645

200(208)/230V, w/Spoolgun 30A, Dual Cylinder and Cable Rack, Regulator and Hose A0317090

\$5,775 \$3,759

A0317094 230/460/575V, 60HZ, 1PH A0317091

230/460/575V, w/Spoolgun 30A, Dual Cylinder and Cable Rack, Regulator and Hose

\$5,909

Industrial, all-in-one MIG machine. Welds material from 22 gauge to 1/2 in. thick in a single pass.

TOOLS & ACCESSORIES



A0240460 Electrode size 355.6 mm (14")

A0240461 Electrode size 457.2 mm (18")

A0240462 Electrode size 914.4 mm (36")

Great storage and inventory control for all your welding electrodes, rods and filler metals. Up to 107°C (225°F).



A0335479 115 Volt, AC only,

w/thermostat

A0335480 115 Volt, AC/DC

These portable electrode oven are lightweight, durable, easy to load, easy to carry, ready to provide low cost control of welding quality in the shop or in the field.



A0248308 317.5 mm (12.5")

A0248309 419 mm (16.5")

A0248327 521 mm (20.5")

\$132.05 \$112.15

Clamps are multi-function tools, serving more than just one application. All clamps are "Quick-acting" and modular for the fastest set-up.



CHIPPING HAMMERS

A0291480 Cone and chisel,

long neck wood handle

A0291484

Cone and cross chisel, long neck wood handle

\$19.25

\$14.50

\$19.40

\$28.07

\$19.25



POWER CABLE EXTENSION

A0239626 **\$132.82**

8/3 type STW, 250 V 40 A, 15 m (50'), safety lighted ends for more s



BLUESHIELD™ **ELECTRODE HOLDER**

\$190

A0295501 **\$13.75**

400 Amps, Bernard Style.



C-CLAMP PLIERS

A0414263 \$29.15

281 mm (11"), swivel tip.



STANDARD POCKET LEVEL

A0898425 \$56.12



PRO POCKET LEVEL

A0312725 \$97.50



A0972245 250 Amp, 10 ft

A0972246 250 Amp, 15 ft

\$128.90



A0400906 \$145.50

and between 0.85 and 0.99 m³/min

Rated at 1,000 Amps, it uses compressed air between 5.6 and 7.0 kg/cm² (80 and 100 psi) (30 and 35 cfm). supplied with a 2.14 m (7') long cable.

HELPFUL HINTS

When calculating electrode consumption, the following information may be helpful:

For every inch of electrode consumed, the user will get 8" of groove when making a gouge that is equal in depth to the diameter of the carbon. The gouged width will be about 1/8" wider than the diameter of the carbon electrode being used.

+ Use a welding helmet (shade 11 and up).

+ Use additional skin protection products such as BLUESHIELD™ gloves & garments.

+ Wear ear protection against noise and to protect ears from sparks.

Avoid inhaling breathing smoke and fumes.

+ Remove all combustibles and flammables from work area.

Never substitute oxygen for compressed air.





HIGH PERFORMANCE CUT-OFF WHEELS

Limited time offer! **RECEIVE A FREE**

Walter Hat for every 50 eligible cut-off wheels purchased.*

*Available while supplies last.



ZIPCUT™

Heavily reinforced to ensure added safety, ZIPCUT is resilient, resisting twisting and bending, allowing for a true straight cut every time.







TYPE 1 —	Steel Inox.	
A0415567	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$3.55
A0415570	5" (127 mm), 7/8" arbor, max RPM 12,200	\$3.95
A0415571	6" (152.4 mm), 7/8" arbor, max RPM 10,200	\$5.30
A0415573	7" (180 mm), 7/8" arbor, max RPM 8,600	\$6.60
TYPE 27		
A0415309	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$3.80
A0415310	5" (127 mm), 7/8" arbor, max RPM 12,200	\$4.20
A0415311	6" (152.4 mm), 7/8" arbor, max RPM 10,200	\$5.60

ZIP STAINLESS™

TYPE 1 =

The new and improved Zip Stainless™ is better than ever. This cut-off wheel is free of iron, sulfur and chlorine, ensuring it will not contaminate stainless steel or other nickel alloyed steels.





111 - 1	II IOA.	
A0415537	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$3.65
A0415477	5" (127 mm), 7/8" arbor, max RPM 12,200	\$4.00
A0415478	6" (152.4 mm), 7/8" arbor, max RPM 10,200	\$5.35
TYPE 27		
A0415522	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$3.90
A0415523	5" (127 mm), 7/8" arbor, max RPM 12,200	\$4.20
A0415300	6" (152.4 mm), 7/8" arbor, max RPM 10,200	\$5.70

ZIP+ XTRA™

The ZIP+ XTRA is a 1/16" thick heavy duty application cut-off wheel that offers the longest life on the market.





Л 13,300	\$3.50

TYPE I	Steel Inox.	
A0415568	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$3.50
A0415569	5" (127 mm), 7/8" arbor, max RPM 12,200	\$3.95
TYPE 27		
A0415562	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$3.90
A0415563	5" (127 mm), 7/8" arbor, max RPM 12,200	\$4.35

ZIP ALU™

Thin cut-off wheels specially formulated to cut a wide variety of aluminum, aluminum alloys and non-ferrous metals without clogging.





TYPE 1 💳	———— Alu.	
A0415533	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$4.05
A0415534	5" (127 mm), 7/8" arbor, max RPM 12,200	\$4.40
A0415559	6" (152.4 mm), 7/8" arbor, max RPM 10,200	\$6.45

ZIPTM

Performance cutting with straight shaft and die grinders.







TYPE 1 —	Steel Inox.	
A0415554	3" (75 mm), 3/8" arbor, max RPM 25,470	\$3.45
A0415556	3" (75 mm), 3/8" arbor, max RPM 25,470	\$3.65
A0415544	4" (100 mm), 3/8" arbor, max RPM 19,100	\$3.90
A0415543	4" (100 mm), 3/8" arbor, max RPM 19,100	\$3.90
TYPE 27		
A0265811	3" (75 mm), 3/8" arbor, max RPM 25,470	\$3.65
A0186415	4" (100 mm), 3/8" arbor, max RPM 19,100	\$4.20



For a free demo, call 1-800-817-7697

ZIP ONE™

The ZIP ONE is a 1mm thick cutting wheel, specifically designed to cut thin gauge metal.





TYPE 1 —	Steel Inox.
A0415565	4 1/2" (114.3 mm), 7/8" arbor, max RPM
A041EECC	E" (107 mm) 7/0" orbor may DDM 10 00

A0415565	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$3.75
A0415566	5" (127 mm), 7/8" arbor, max RPM 12,200	\$4.20
TYPE 27		
A0415560	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$3.80
A0415561	5" (127 mm), 7/8" arbor, max RPM 12,200	\$4.25

COMBO ZIP™

Cut and lightly grind with the same wheel. COMBO ZIP is ideal for notching, root pass cleaning, chamfering and much more.







1YPE 2/ =	Steel Inox.	
A0415494	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$3.80
A0415495	5" (127 mm), 7/8" arbor, max RPM 12,200	\$4.30
A0415588	6" (152.4 mm), 7/8" arbor, max RPM 10,200	\$5.75

E-WELD NOZZLE™

Extend the life of welding nozzles and reduce downtime spent scraping out spatter with E-WELD Nozzle.





A0188193	E-Weld Nozzle aerosol kit	\$39.00
A0188192	E-Weld Nozzle aerosol, 400 ml	\$32.40

SLAP SHOT™

SLAP SHOT™ is a highly effective, residue-free, fast evaporating cleaner/degreaser that dissolves and removes grease, oil, and grime on contact. NSF category K1, registration #154299 (Aerosol) #154300 (Liquid)



A0314807	Slap Shot aerosol, 500 ml	\$8.30
A0314786	Slap Shot trigger sprayer, 500 ml	\$14.50
A0210261	Slap Shot PL aerosol, 400 ml	\$9.95

CHOPCUT™

Performance cutting with portable chop saws - GENERAL PURPOSE

BEST CHOICE FOR SOLIDS







lnov

111 - 1	Olddi Irlox.	
A0415489	12" (305 mm), 1" arbor, max RPM 5,100	\$7.10
A0415490	14" (355 mm), 1" arbor, max RPM 4,400	\$9.40
A0415491	16" (406 mm), 1" arbor, max RPM 3,800	\$18.40

ZIP XXTREME™

The ZIP XXTREME $^{\text{TM}}$ is the longest lasting cut-off wheel, boasting the lowest cost per cut compared to all other 3/64" thin cut-off wheels.







TYPE 1 ===	Steel mox.	
A0921044	4 1/2" (114.3 mm), 7/8" arbor, max RPM 13,300	\$3.95
A0921046	5" (127 mm), 7/8" arbor, max RPM 12,200	\$4.35
A0921048	6" (152.4 mm), 7/8" arbor, max RPM 10,200	\$5.75
A0924372	4 1/2" (180 mm), 7/8" arbor, max RPM 8,600	\$7.15

E-WELD 3™

E-WELD 3 is a unique, high performing anti-spatter solution that protect workpieces from adherence of high energy spatter and eliminates costly spatter removal operations.



A0314823	E-Weld 3, Sprayer 500 ml / 16.9 oz	\$11.80
A0961237	E-Weld 3, Liquid 3.78 L / 1 gal	\$72.40
A0314816	E-Weld 3, Liquid 20 L / 5.2 gal	\$309.90





IT'S EASY TO **REACH US**. **ANYWHERE**, ANY TIME



Visit us airliquide.ca



Call us

1-800-817-7697 310-WELD (9353) (ON, AB, SK)



Find us

m.airliquide.ca



E-mail us

commandes.gc@airliquide.com orders.on@airliquide.com orders.west@airliquide.com orders.pacific@airliquide.com orders.atlantic@airliquide.com



Streamline your operations with our app. Try it today!

Mobile and Tablet version: Open Store







Desktop and Laptop Version: alex.force.com







Promotion sale prices are in effect from April 1st to May 31, 2019, at participating locations in Canada only. Air Liquide Canada Inc. reserves the right to: limit quantities, correct any unintentional error that may appear in this flyer's text or pictures, substitute advertised product by an equivalent product. Our lowest price guarantee applies only to items featured in this flyer and for identical products (same manufacturer, same model and manufacturer part number). Additional charges, such as freight, delivery and material surcharge might apply.